佛山市创笙舞台设备有限公司

FOSHAN DRAGON STAGE EQUIPMENT CO.,LTD

工厂地址：广东省佛山市里水镇夏西工业区横三路3号

Factory Add：No 3，Hengsan Road，Xiaxi Industrial Area，
Lishui Town，Foshan，Guangdong

Mob/whatsApp: +86 13631328997 Vivian
+86 18819176126 Jean
+86 18988930312 Linda

Email：sales@dragontruss.com

https://www.dragontruss.com/

微信公众号
Official accounts

DRAGON STAGE

佛山市创笙舞台设备有限公司

FOSHAN DRAGON STAGE EQUIPMENT CO.,LTD

关于我们 About Us


Built in 2008, professonal manufacturer

专业生产厂家，成立于2008年


Professional sellers
(the quick-reply within 12 hours)

专业销售服务，快速回复


Well Designed within 24hours
(Pro-E/CAD/3D-Max)


优秀产品设计(PRO-E/CAD/3D-MAX)


Branded aluminium material

品牌铝材原料保障


Professonal welder team
(above 5 years welding experience)

熟练焊工团队，5年以上行业经验


Diversified sample room

多样化展厅


lightning delivery

闪电发货

生产流程 Production Process


开料Cutting


检查 Checking


冲管 Punching


铣床 Holening


焊接 Welding


成品 Final product


测试 Testing



包装 Packing

展会 Exhibition

















证书 Certificate


Supplier Assessment
Supplier Assessment Certificate
Guangzhou Dragon Performance Equipment Co., Ltd.


SGS
Made in China.com


TÜVRheinland


QUALITY MANAGEMENT SYSTEM CERTIFICATE
ISO9001













If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ALUMINUM TRUSS
铝合金桁架

















If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！




CS-01



CS-02




CS-03




CS-04

ALUMINUM TRUSS
铝合金桁架



CS-05



CXM-01



CXM-02




CXM-03

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！



CXM-04




CXM-05













CXM-06




CXM-07

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


ALUMINUM TRUSS
铝合金桁架




CXM-08



CXM-09




CXM-10




CXM-11


If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！




CY-01




CY-02




CYX-03




CYX-04




CY-03




CY-04




CG-01




CG-02




CYX-01



CYX-02



CZL-01



CZL-02


If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！











If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ALUMINUM TRUSS
铝合金桁架



CXM-06-1 Keder Roof System


















If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！









ALUMINUM TRUSS
铝合金桁架











If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！









ALUMINUM TRUSS
铝合金桁架










If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


ALUMINUM TRUSS
铝合金桁架




CS-02



CS-03



CLM-01



CLM-02










CS-04




CS-05





CLM-03




CLM-04

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

CLM-06
LED stand





CLM-07
LED stand





CLM-08
LED stand











If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


ALUMINUM TRUSS
铝合金桁架



CLM-05




CYX-05







CLM-09
LED stand




CLM-10
LED stand




If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


PA TOWER
A字架




CAZ-01




CAZ-02




CAZ-03




CAZ-04



CAZ-01




CAZ-02



CAZ-03



Braces
单片
HT2-L:2m/H:1m(6.6x3.3ft)



Horizontal Pipe
横拉杆
SD2-2m(6.6ft)



Long Outrigger
斜撑
SD10



HT1
H Truss
H架










If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Exhibition Truss
展览展示架









Exhibition Truss & Floor
展览架&地板系统















Floor Corner



Floor Ramp




Floor



If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


C-SERIES TRUSS
异形架



CT30/BT30-N




CT30/BT30-D



CT30/BT30-M



CT30/BT30-D



TP3-5



TP3-6



TP3-7




TP3-8



TP3-9










If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Customized Truss
定制铝架














If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Customized Truss
定制铝架









Customized Truss
定制铝架




















If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


BS238x238






BS400x400A






BS400x600A





BS600x1000





FCS290x290



FCS520x760



CS290x290-5Tubes



CS800X1200





If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ALUMINUM TRUSS
铝合金桁架






Pre-Rig 358x610mm


CS104

截面 Section:Square1040x590mm 主管 Main tube: Ø50x4.0mm 副管 Braces: Ø50x3.0mm				斜管 Inelined tube: Ø50x2.0mm 长度 Length:1/2/2.5/3/4m 材质 Material:Aluminum 6082-T6				
跨度 Span (m)	14m	16m	20m	24m	28m	30m	32m	36m
(kg/m)	267	213	172	128	97	78	58	37
(mm)	51	68	92	137	186	219	281	364
(kg)	2150	1950	1500	1150	920	830	680	510
(mm)	41	49	73	106	133	162	235	273










BS20A

截面 Section:Square200x200mm 主管 Main tube:25x25x2.0mm 副管 Braces:25x25x2.0mm			斜管 Inelined tube: 10x2.0mm 长度 Length:0.5/1/2/2.5m 材质 Material: Aluminum6061-T6			
跨度 Span (m)	2m	3m	4m	5m	6m	8m
(kg/m)	171	90	53	28	19	11
(mm)	7	15	26	35	42	75
(kg)	235	105	71	38	31	23
(mm)	25	43	56	68	79	93

BS30A


截面 Section:Square300x300mm 主管 Main tube: Ø50x3.0mm 副管 Braces: Ø50x2.0mm			斜管 Inelined tube: 25x2.0mm 长度 Length:0.5/1/2/2.5m 材质 Material: Aluminum6061-T6				
跨度 Span (m)	2m	3m	4m	5m	6m	8m	10m
(kg/m)	1200	700	450	200	135	70	40
(mm)	6	13	26	44	63	97	136
(kg)	1750	1400	1100	650	400	200	100
(mm)	10	17	36	53	80	102	133





If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ALUMINUM TRUSS
铝合金桁架






BL30

截面 Section:Ladder300x50mm
主管 Main tube: 50x3.0mm
副管 Braces: 30x2.0mm
斜管 Inelined tube: 20x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material:Aluminum 6061-T6


跨度 Span(m)	1m	2m	2m	4m	5m	6m
(kg/m)	992.2	399	171	88	50	26
(mm)	0	1	2	3	3	3
(kg)	992.2	280	94.66	37	16.8	7.33
(mm)	0	1	2	2	2	2



CL30

截面 Section:Ladder289x50mm
主管 Main tube: 50x3.0mm
副管 Braces: 30x2.0mm
斜管 Inelined tube: 20x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material:Aluminum 6082-T6


跨度 Span(m)	1m	2m	2m	4m	5m	6m
(kg/m)	1010	452	223	135	80	56
(mm)	2	4	4	6	6	7
(kg)	1007	690	368	185	125	68
(mm)	2	6	8	10	12	12



BT30

截面 Section:Triangular300x300mm
主管 Main tube: 50x3.0mm
副管 Braces: 30x2.0mm
斜管 Inelined tube: 25x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material:Aluminum 6061-T6

跨度 Span(m)	4m	5m	6m	8m	10m	12m
(kg/m)	460	200	120	70	48	25
(mm)	5	12	30	76	112	148
(kg)	1200	800	500	400	300	200
(mm)	5	20	28	48	62	93







CT30


截面 Section:Triangular289x289mm
主管 Main tube: 50x3.0mm
副管 Braces: 25x2.0mm
斜管 Inelined tube: 20x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material:Aluminum 6082-T6

跨度 Span(m)	4m	5m	6m	8m	10m	12m
(kg/m)	460	200	120	70	48	25
(mm)	5	12	30	76	112	148
(kg)	1200	800	500	400	300	200
(mm)	5	20	28	48	62	93










BS20

截面 Section:Square200x200mm
主管 Main tube: 30x2.0mm
副管 Braces: 20x2.0mm
斜管 Inelined tube: 12x2.0mm
长度 Length:0.5/1/2/2.5m
材质 Material:Aluminum 6061-T6


跨度 Span(m)	2m	3m	4m	5m	6m	8m
(kg/m)	165	85	48	20	15	10
(mm)	6	14	22	37	40	75
(kg)	240	100	70	40	30	25
(mm)	10	17	36	55	82	100



CS20

截面 Section:Square200x200mm
主管 Main tube: 30x2.0mm
副管 Braces: 20x2.0mm
斜管 Inelined tube: 12x2.0mm
长度 Length:0.5/1/2/2.5m
材质 Material:Aluminum 6082-T6


跨度 Span(m)	2m	3m	4m	5m	6m	8m
(kg/m)	180	96	55	32	23	15
(mm)	4	12	21	37	44	90
(kg)	300	200	180	120	50	40
(mm)	5	20	55	57	85	126



If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

CONICAL COUPLER TRUSS
插销式铝架







CS10

截面 Section:Square100x100mm
主管 Main tube:20x2.0mm
副管 Braces:80x80x5.0mm
斜管 Inelined tube: 6mm
长度 Length:0.5/1/1/1.5m
材质 Material: Aluminum 6082-T6

跨度 Span(m)	1.5m	/	/	/	/	/
(kg/m)	20	/	/	/	/	/
(mm)	2	/	/	/	/	/
(kg)	150	/	/	/	/	/
(mm)	3	/	/	/	/	/





CS30


截面 Section:Square289x289mm
主管 Main tube:50x3.0mm
副管 Braces:25x2.0mm
斜管 Inelined tube: 20x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material: Aluminum 6082-T6


跨度 Span(m)	4m	5m	6m	8m	10m	12m	14m
(kg/m)	520	280	200	120	84	55	35
(mm)	5	12	33	76	112	148	171
(kg)	1800	1000	700	550	450	360	250
(mm)	8	20	33	57	62	93	126

CS35

截面 Section:Square350x350mm
主管 Main tube:50x3.0mm
副管 Braces:25x2.0mm
斜管 Inelined tube: 20x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material: Aluminum 6082-T6

跨度 Span(m)	4m	5m	6m	8m	10m	14m	16m
(kg/m)	530	300	200	135	94	45	30
(mm)	6	14	35	80	116	175	210
(kg)	2000	1200	800	600	550	300	250
(mm)	10	25	35	62	72	130	180








CS40


截面 Section:Square389x389mm
主管 Main tube:50x3.0mm
副管 Braces:30x2.0mm
斜管 Inelined tube: 25x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material: Aluminum 6082-T6

跨度 Span(m)	4m	6m	8m	10m	12m	14m	16m	18m
(kg/m)	580	310	200	145	107	60	46	35
(mm)	20	30	54	80	102	151	170	192
(kg)	1800	1150	760	650	510	440	350	340
(mm)	5	33	57	80	110	126	163	208










CS52


截面 Section:Square520x520mm
主管 Main tube:50x3.0mm
副管 Braces:50x2.0mm
斜管 Inelined tube: 25x2.0mm
长度 Length:0.5/1/2/3/4m
材质 Material: Aluminum 6082-T6

跨度 Span(m)	4m	6m	8m	10m	12m	14m	16m	18m	20m
(kg/m)	700	420	276	180	130	90	63	50	26
(mm)	4	16	20	30	54	80	102	151	170
(kg)	2300	1510	1200	900	750	620	550	500	350
(mm)	15	28	42	85	104	138	162	205	260

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


CONICAL COUPLER TRUSS
插销式铝架






CS4060

截面 Section:Square400x600mm 主管 Main tube:50x3.0mm 副管 Braces:50x2.0mm					斜管 Inelined tube: 25x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material: Aluminum 6082–T6					
跨度 Span(m)	4m	6m	8m	10m	12m	14m	16m	18m	20m
(kg/m)	700	430	270	187	130	92	68	50	30
(mm)	5	12	33	54	80	102	151	170	203
(kg)	2350	1580	1300	1150	850	670	565	500	400
(mm)	11	23	41	65	79	103	138	172	215






CS5060

截面 Section:Square500x600mm 主管 Main tube:50x3.0mm 副管 Braces:50x2.0mm				斜管 Inelined tube: 25x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material: Aluminum 6082–T6						
跨度 Span(m)	4m	6m	8m	10m	12m	14m	16m	18m	20m	22m
(kg/m)	800	450	179	125	108	85	58	42	35	23
(mm)	5	17	25	42	85	104	138	162	205	260
(kg)	2480	1640	1420	1230	1000	880	655	600	500	400
(mm)	8	15	32	47	89	140	153	168	200	267

CS5276


截面 Section:Square520x760mm 主管 Main tube:50x4.0mm 副管 Braces:50x2.0mm						斜管 Inelined tube: 30x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material: Aluminum 6082–T6						
跨度 Span(m)	4m	6m	8m	10m	12m	14m	16m	18m	20m	22m	24m
(kg/m)	870	460	280	185	132	95	68	55	42	42	25
(mm)	17	28	41	66	95	133	166	200	230	230	350
(kg)	2860	1850	1567	1285	1122	1054	880	700	550	550	360
(mm)	23	41	65	79	93	118	132	165	177	177	280







CS6076

截面 Section:Square600x760mm 主管 Main tube:50x4.0mm 副管 Braces:50x2.0mm					斜管 Inelined tube: 25x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material: Aluminum 6082–T6						
跨度 Span(m)	4m	6m	8m	10m	12m	14m	16m	18m	20m	22m	24m
(kg/m)	920	490	295	199	146	118	74	65	60	40	30
(mm)	14	30	42	67	92	138	167	202	235	290	350
(kg)	3000	1850	1567	1365	1228	1060	883	708	555	900	370
(mm)	25	43	62	68	93	115	135	154	174	216	275











CS68101

截面 Section:Square670x1010mm 主管 Main tube:50x5.0mm 副管 Braces:50x3.0mm						斜管 Inelined tube: 30x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material: Aluminum 6082–T6							
跨度 Span(m)	12m	14m	16m	18m	20m	22m	24m	26m	28m	30m	32m	36m	40m
(kg/m)	368	288	250	199	199	199	199	102	78	67	67	40	30
(mm)	20	35	65	85	85	85	126	147	180	208	208	292	362
(kg)	2800	2436	2010	1500	1500	1400	1211	1056	900	800	800	500	320
(mm)	15	23	48	64	64	76	116	133	160	157	157	280	238

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


ENDPLATE TRUSS
螺丝式铝架






BS 30

截面 Section:Square300x300mm 主管 Main tube:50x3.0mm 副管 Braces:50x2.0mm					斜管 Inelined tube: 25x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material: Aluminum 6061–T6			
跨度 Span(m)	2m	3m	4m	5m	6m	8m	10m
(kg/m)	1200	700	450	200	135	70	40
(mm)	6	13	26	44	63	97	136
(kg)	1750	1400	1100	650	400	200	100
(mm)	10	17	36	53	80	102	133







BS 35

截面 Section:Square350x350mm 主管 Main tube:50x3.0mm 副管 Braces:50x2.0mm					斜管 Inelined tube: 25x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material: Aluminum 6061–T6				
跨度 Span(m)	2m	3m	4m	5m	6m	8m	10m	12m
(kg/m)	1400	800	480	230	145	80	50	28
(mm)	6	13	22	41	65	98	136	141
(kg)	1800	1600	1200	750	450	300	200	100
(mm)	10	14	40	61	80	95	117	155

BS3040


截面 Section:Square300x400mm 主管 Main tube:50x3.0mm 副管 Braces:30x2.0mm				斜管 Inelined tube: 25x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material: Aluminum 6061–T6				
跨度 Span(m)	2m	3m	4m	5m	6m	8m	10m	12m
(kg/m)	1500	860	500	280	150	80	50	28
(mm)	6	13	22	41	65	98	136	151
(kg)	1800	1600	1200	750	450	300	200	100
(mm)	11	18	34	58	83	90	115	129








BS 40

截面 Section:Square400x400mm 主管 Main tube:50x3.0mm 副管 Braces:50x2.0mm						斜管 Inelined tube: 25x2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material: Aluminum 6061–T6					
跨度 Span(m)	2m	3m	4m	5m	6m	8m	10m	12m	14m	16m
(kg/m)	1800	1080	625	370	230	130	70	50	37	20
(mm)	6	18	22	41	70	98	131	180	180	570
(kg)	3000	2000	1400	900	800	600	450	300	300	130
(mm)	10	17	36	55	70	100	93	133	133	153











BS 45

截面 Section:Square450X450mm 主管 Main tube: 50X3.0mm 副管 Braces: 50X2.0mm					斜管 Inclined tube: 25X2.0mm 长度 Length:0.5/1/2/3/4m 材质 Material:6061-T6							
跨度 Span(m)	2m	3m	4m	5m	6m	8m	10m	12m	14m	16m	18m
(kg/m)	2000	1200	750	440	300	188	120	83	57	37	23
(mm)	2	4	9	22	30	61	90	135	141	177	200
(kg)	3200	2400	2000	1400	900	700	600	500	400	300	200
(mm)	4	8	15	33	46	85	122	158	203	213	236

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ENDPLATE TRUSS
螺丝式铝架







BS 50

截面 Section:Square500x500mm	斜管 Inelined tube: 25x2.0mm
主管 Main tube:50x3.0mm	长度 Length:0.5/1/2/3/4m
副管 Braces:50x2.0mm	材质 Material: Aluminum 6061–T6

跨度 Span(m)	4m	5m	6m	8m	10m	12m	14m	16m	18m
(kg/m)	800	520	400	250	150	80	62	35	20
(mm)	7	15	30	61	95	130	177	220	267
(kg)	2600	1800	1600	1200	800	600	400	200	160
(mm)	11	22	43	80	95	155	193	233	288





BS 4050


截面 Section:Square400x500mm	斜管 Inelined tube: 25x2.0mm
主管 Main tube:50x3.0mm	长度 Length:0.5/1/2/3/4m
副管 Braces:50x2.0mm	材质 Material: Aluminum 6061–T6


跨度 Span(m)	4m	5m	6m	8m	10m	12m	14m	16m	18m
(kg/m)	800	520	400	250	150	80	62	35	20
(mm)	7	15	30	61	95	130	177	220	267
(kg)	2600	1800	1600	1200	800	600	400	200	160
(mm)	11	22	43	80	95	155	193	233	288

BS 5060

截面 Section:Square500x600mm	斜管 Inelined tube: 25x2.0mm
主管 Main tube:50x3.0mm	长度 Length:0.5/1/2/3/4m
副管 Braces:50x2.0mm	材质 Material: Aluminum 6061–T6

跨度 Span(m)	4m	5m	6m	8m	10m	12m	14m	16m	18m	20m
(kg/m)	1000	610	500	350	190	133	96	65	50	30
(mm)	6	14	37	62	84	100	128	155	194	244
(kg)	3000	2200	1900	1400	1000	750	600	450	300	200
(mm)	13	29	45	85	100	126	147	188	213	278








BS 5276


截面 Section:Square520x760mm	斜管 Inelined tube: 30x2.0mm
主管 Main tube:50x4.0mm	长度 Length:0.5/1/2/3/4m
副管 Braces:50x2.0mm	材质 Material: Aluminum 6061–T6

跨度 Span(m)	4m	5m	6m	8m	10m	12m	14m	16m	18m	20m	22m
(kg/m)	110	670	550	300	220	170	130	94	67	50	36
(mm)	4	12	25	61	81	105	131	151	192	235	295
(kg)	3200	2400	2000	1600	1100	800	700	600	500	300	200
(mm)	9	22	37	86	100	123	163	175	200	253	323










BS 6076

截面 Section:Square600x760mm	斜管 Inelined tube: 30x2.0mm
主管 Main tube:50x4.0mm	长度 Length:0.5/1/2/3/4m
副管 Braces:50x2.0mm	材质 Material: Aluminum 6061–T6

跨度 Span(m)	4m	5m	6m	8m	10m	12m	14m	16m	18m	22m	24m
(kg/m)	1200	720	600	350	240	167	128	100	78	45	33
(mm)	3	14	37	62	84	105	138	175	211	302	340
(kg)	3600	2600	2100	1800	1400	1200	1000	800	600	300	200
(mm)	8	21	47	81	100	126	157	188	233	358	282


If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ROOF DETAIL
屋顶细节



If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

CORNER
插销转角



CL30C90	CL30C45	CL30C3	CT30C90
CT30-3W-1	CT30-3W	CT30-30T-1	CT30-CROSS
CS30C135	CS30C45	CS30-520	CL30-Clamp

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


SCREW CORNER
螺丝转角

BT30C90-L	BS20C90	BS30-3W	BS30-T
BS40-CROSS	BS20BOX-1	BS30BOX-1	BS30BOX-2
BS238BOX	BS30A-CORNER1	BS30A-BOX	CIC4-2
CIC2	CIC3	CIC3-1	CIC4-1
CL30C2	CL30C3-1	CL30C4	CL30C4-1
CS30BOX-1	CS30BOX-2	CS30BOX	CS30BOX-3

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


Hoist System
葫芦系统

4-WAY BASIC



T2-1000KG /2000KG













T2-10-D8/D8+









MODEL	Liftingcapacity at staticchain safety 5.1:1(kg)	liftingspeed 50Hz (m/min)	MotorPower (KW)	Power comsumption fully loaded, 3x400v/50Hz(A)	Weight unequipped (kg)	Sound Pressurelevel in hall, 1m distance (dBA)
LPL500/1NLD8	1000	4	0.76	2.6	22	60
LPL1000/1NLD8	2000	4	1.5	4.4	46	60

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Lifting Tower
升降系统

TP1-1



TP1-2







TP1-3




When the high of truss tower is over 6m, this tower crane will be helpful;
It can be lifted by motor or manual winch.
当桁架立柱高于6米时，您可以选择使用辅助塔吊；
它可采用电动葫芦或者手摇绞盘进行提升。



TP1
Tower Crane
辅助塔吊




If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！



BT1
Sleeve block
方套

Tower for endplate truss
螺丝塔吊





BT3
Sleeve block
方套

Tower for spigot truss
插销式塔吊



ST5
Tower for spigot truss
插销式塔吊





1.Top pulley
2.Safety wire Use with mast tower to secure sleeve block
3. Round slings /Lifting brackets
4. Electric hoist
5. Motor attachment
6. Sleeve bloc
7. Diagonal brace
8. Truss
9. Hinges
10.Stabiliser brace
11.Long outrigger
12.Steel base
13.Outrigger(Parallel)
14.Ballast, Water tank
15.Ratchet set/Steel wire/ Chain+spanner+shortener

TOWER
塔吊

T1
Manual Hoist
手拉葫芦



T2
Electric Motor
国产电动葫芦



T3
Motor Controller
电动葫芦控制器



T4
Fibre Sling
飞机带



T5
Top Section
横担




T6
Electric Top Section
电动葫芦横担



T7
Steel Base
铁底座




T8
Aluminum Base
铝底座




T9
Long Outrigger
斜撑



ST1
Sleeve Block
插销方套




ST2
Sleeve Block
插销方套



ST3
Sleeve Block
插销方套



BT1
Sleeve Block
螺丝方套



BT2
Sleeve Block
螺丝方套



ST4
Hinge Section(Spigot truss)
插销架反头




BT4
Hinge Section (Bolt truss)
螺丝架反头




If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


BS5060(BS40)-S
Sleeve Block
螺丝方套



CS5276(CS40) -S
Sleeve Block
插销方套



CS5060(CS35)-S
Sleeve Block
插销方套



ST4
Sleeve Block
方套



C46



C47



C48



C49



C50



C51



C52



C53



C54



C55



C56



C57



If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ACCESSORIES
配件









C06 Aluminum base
铝底板



C58



C59



C60



C61



C62



C63




C64



C65



C66



C67



C68



C69



C70



C71



C72



C73



C74



If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ACCESSORIES
配件


C01 	C02 	C03 	C04 	C05 
C06 	C07 	C08 	C09 	C10 
C11 	C12 	C13 	C14 	C15 
C16 	C17 	C18 	C19 	C20 
C21 	C22 	C23 	C24 	C25 
C26 	C27 	C28 	C29 	C30 
C31 	C32 	C33 	C34 	C35 
C36 	C37 	C38 	C39 	C40 
C41	C42	C43	C44	C45


If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

STAGE PROJECT
舞台工程


If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

STAGE PROJECT
舞台工程










ALUMINIUM STAGE
铝质舞台

Model 型号	MS1A MS1B
Specification 规格	A:1220mmx1220mm(4ftx4ft) B:1220mmx2440mm(4ftx8ft)
Height 高度	A:0.4-0.8m(1.31-2.62ft) C:0.8-1.4m(3.28-4.59ft) E:1.6-2m(5.25-6.56ft) B:0.6-1m(1.97-3.28ft) D:1-1.4m(3.28-4.59ft)
Load capacity 承重	750kg/m² 750公斤/平方米
Material 材料	Aluminium 铝合金材质
Characteristics 特点	Easy to set up and disassemble, beautiful appearance 搭建拆卸简单快捷，外观美观




MS1A



MS1B






MS2C



The available stage topping
可供选择的面板



Fabric Glass 有机玻璃 | Laminated Plywood(A) 防滑贴面(六边形) | Laminated Plywood(B) 防滑贴面(小方块) | Plywood with Carpet 地毯贴面

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ALUMINIUM STAGE
铝质舞台

ALUMINIUM STAGE
铝质舞台



Model 型号	MS2A MS2B MS2C
Specification 规格	L:2000mm W:1000mm 长:2000 mm (L:6.6ft W: 3.3ft) 宽:1000 mm
Height 高度	0.2-0.3m/0.4-0.6m/0.6-1m (0.7-1.0ft/1.3-2.0ft/2.0-3.3ft)
Load capacity 承重	600kg/sqm(122.89lb/sqft) 600公斤/平方米
Material 材料	Plywood 18mm thickness 18mm厚防滑木板
Characteristics 特点	Aluminium 铝合金材质

MS2B




MS2C





MS2D





MS2 leg-1	MS2 leg-2	MS2 leg-3	MS2 leg-4	MS2 leg-5	MS2 leg-6
					
MS2 leg-7	**MSA1**	**MSA2**	**Deck clamp**	**Stage wheels**	**Deck socket**
					





MS8
Iron folding stage
铁折叠舞台



H:0.41m



H:0.61m


MS 4
Aluminum folding stage
铝合金折叠舞台

Model 型号	MS4	
Specification 规格	A:1220x2440mm(8ftx4ft)	B:1830x2440mm(8ftx6ft)
Height 高度	A:410-610mm	B:610-810mm
Load capacity 承重	500kg/m²	
Material 材料	Aluminum 铝合金材质	
Characteristics 特点	It can be foldable, and easy to transport and be storage 可折叠，方便运输、储存	





Foldable
折叠后效果



If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！



MS5
Heavy duty stage
重型舞台



MS6
Folding stage
折叠舞台




MS11
Dance floor
舞台池

Material	18mm plywood+Aluminium frame
Size	1.22x1.22x0.03m/4ft x 4ft 1x1x0.03m/3.3ft x3.3ft 0.91x0.91x0.03m/2.98ft x 2.98ft











MS9
Foldable stage
折叠舞台

Dimensions	200x100cm
Height(Adj)	40,60,80,100cm
Max. load	750kg/m²
	wooden material
	anti-slip surface
Plywood	22mm
weight	63kg
storage height	20cm
platform material	wooden and anti-slip surface






MS10
X stage
拉网舞台














If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！





MS5
Heavy duty stage
重型舞台







ALUMINIUM STAGE
铝质舞台

Model	MS5
Specification	Length 2400mm/8ftx Wide 1200mm/4ft
	Length 1200mm/4ftx Wide 1200mm/4ft
Material	Aluminium Frame+18mm plywood/Black antislip surface
Self Weight	49kg/pcs Top part+ 4 leg 4.8kg/set
Load capacity	750kg/sq.m(153lbs/sq.ft)

Stage leg Opitonals



Telescopic leg
Aluminium ϕ50*3mm
A: 0.2m~0.3m/7.9''~11.8''
B: 0.3m~0.5m/11.8''~19.7''
C:0.4m~0.6m/15.7''~23. 6''
D:0.6m~1m/23.6''~39.4''
E:0.8m~1.4m/31.5''~55.1''
F:1m~1.5M/39.4''~59.1''

Adjustable leg
Aluminium ϕ50*3mm
A: 0.3m/11.8''
B: 0.5m/19.7''
C:0.6m/23.6''
D:1m/39.4''
E:1.2m/47.2''
F:1.5M/59.1''

Rubber feet leg
Aluminium ϕ50*3mm
A: 0.3m/11.8''
B: 0.5m/19.7''
C:0.6m/23.6''
D:1m/39.4''
E:1.2m/47.2''
F:1.5M/59.1''





If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Heavy Duty Alu-Staircase




Alu Staircase A



Alu Staircase A/Handrail B




Alu Staircase A/ Easy Hanrail




Alu Staircase A/ Movable Hanrail



Alu Staircase B (fixed high)



Alu Staircase C
Heavy Duty Staircase/W handrail







Alu Staircase C/Movable handrail
Heavy Duty Staircase/W handrail

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ALUMINIUM STAGE
铝质舞台

Stage Handrail



Handrail-A
Aluminium ϕ38*2mm



Handrail-B
Aluminium ϕ38*2mm



Handrail-C
Aluminium ϕ38*2mm



Handrail-D
Aluminium ϕ38*2mm




Handrail-E
Aluminium ϕ38*2mm




Handrail-F
Aluminium ϕ38*2mm










If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

MSA8 Ramp 斜道

















Aluminium ramp material is Aluminium 6061-T6+18mm
plywood or Aluminium surface, Adjustable high can be customized

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


ALUMINIUM STAGE
铝质舞台

MSA8-2T/5T Aluminium Ramp
Load capacity:2T/5T







Foldable Parts








MSA8-15T Aluminium Ramp
Load capacity:15T



MSA8-3T Aluminium Ramp
Load capacity:3T







Aluminium Ramp

Load capacity:450kg
Aluminium,27kg
Total length:2.1m
Foldable length:1.1m
exterior wide:85cm
inner wide:80cm

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


MSA8 Ramp 斜道

MSA4


Baluster Brace 舞台护栏

MSA5



Baluster Pillar 护栏立柱

MSA6


Adjustable Stage Stair
可调节楼梯

MSA7


Fixed Stage Stair
固定式楼梯









MSA91
Stage Toppings Trolley
舞台板运输车


Holds 20pcs x 1.22*2.44m stage toppings.
可放置20张1.22*2.44米舞台板

MSA92CP1
All-staging trolley
一体式舞台运输车





Holds one set of 7.32*4.88m stage
可放置一套7.32*4.88m舞台所有部件















Scaffolding Stage
雷亚舞台

















MS3B

Iron stage 铁舞台

Model 型号	MS3A MS3B
Specification 规格	A:1220mmx1220mm(4ftx4ft) B:1220mmx2440mm(4ftx8ft)
Height 高度	A:0.6-1m(1.97-3.28ft) B:1.6-2m(5.25-6.56ft)
Load capacity 承重	750kg/m 750公斤/平方米
Material 材料	Iron in hot ganavazation; Layer Design+Aluminium topping frame 铁质带热镀锌；雷亚架结构+铝合金舞台框
Characteristics 特点	It is simple in design, flexible in construction, economical and firm. It is suitable for indoor and outdoor large and small performances. 它设计构造简单,灵活搭建,造价经济,牢固.适合室内外大小型演出










If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Grand Stand
看台











Model	MS3A
Specification	Length 2440mm/8ftx Wide 1220mm/4ft
	Length 2000mm/6.6ftx Wide 1000mm/3.3ft
	Length 1220mm/4ftx Wide 1220mm/4ft
Material	Aluminium Frame+18mm plywood/Black antislip surface
Load capacity	850kg/sq.m(174LB/sq.ft)


If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Scaffolding Stage
雷亚舞台














If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Grand Stand
看台











Layher scaffolding(Iron)	
Size	1220x2440mm1000x2000mm
Material:	Aluminiumframe18mmAntilsipPlywood
Height:	EveryStep250mm










If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Grand Stand
看台











If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

SEATING SYSTEM
合唱台


CP1








CP2





CP 3
Aluminum Seating System
铝合金式看台




CP 4
Steel Seating System
铁质看台



If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！












- Layer truss consist of pillar,horizontal pipe,diagonal pipe,adjustable base and joint pipe.
- Simple construction,user-friendly,durable and cost-saving
- Surface process:hot zinc galvanization or cold zinc galvanization.
- Suitable for big outdoor shows and events.

- 网架由立柱，水平拉杆，斜拉杆，可调节底座，底托五个部分组成；
- 构造简单，使用灵活，牢固可靠，经济实惠；
- 热镀锌或冷镀锌两种表面处理可供客户选择；
- 适合大型户外演出活动。

LRT2
Layer Truss
网架





Pillar 立柱
LR1-2m(6.6ft)



Diagonal Pipe 斜拉杆
LR3-2.44m(8.0ft)



Horizontal Pipe 水平拉杆
LR2-2m(6.6ft)



Adjustable Base
LR4 可调节底座



Joint Pipe
LR5 底托



Disk
LR6 圆盘




Clip Lock
LR7 锁头插销




Straight Lock
LR8 直锁头




Oblique Lock
LR9 斜锁头




LRT3



LRT4




LRT5



LRT6

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！




























If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

LAYER TRUSS
网架













If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Aluminium Bench
铝看台







Length	7.5',15' and 21'
Seat Plank	10" w ide, 1.1/2" thick, extruded aluminum alloy, anodized.
Frame	pow der coated aluminum angle or hot dipped galvanized steel tube








Tip And Roll Aluminum Bleacher





Row	2,3 and 4
Length	7.5',15' and 21'
Seat Plank	10" w ide, 1.1/2" thick, extruded aluminum alloy, anodized.
Frame	aluminum angle, pow der coated Bolt and Nut -dacromet coated





If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Aluminium Bench
铝看台



















Chairs-A



Chairs-B



Chairs-C

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Aluminium Bench
铝看台

Aluminium Bench
铝看台







Individual folding (tip-up) stadium chairs-D

1. Raw material: Polypropylene (PP); non-corrosive.
2. Additives: Colorants, antioxidants, and UV absorbers.
3. Seat supports are precision die-cast from aluminum alloy, treated with rust removal, degreasing, and phosphating, followed by an electrostatic powder coating to ensure the metal finish does not peel off.
5. Seats can be equipped with optional plastic armrests and/or cup holders.










If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


CROWED BARRICADE
防爆栏

B1-1
Mojo barrier-Lock



B1-2
Mojo barrier-Pin





B1-3
Mojo barrier-Pin/wave plate



LengthxHigh	1000mm x 1200mm
Colour	Silver Aluminium or Matt Black
Material	Aluminium Alloy
Self Weight	29.5kg/pcs
Connection	Bolts&Nuts
Horizontal load	300kg/m applied at the upper horizontal tube of the barrier
Vertical Load	750kg/m^2

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

CROWED BARRICADE
防爆栏

B2-1



B2-2




B2-3



B2-4
Door Barricade
防爆栏



B2-5



B2-6



B2-7
90°-270°Barricade
90°-270°防爆栏



30°Barricade
B4 30° 防爆栏
B2-8




Black coating



BC1
Barricade Cart
防爆栏运输车




BC1-8
8pcs in 1 Cart



BC1-9
9pcs in 1 Cart

BC1-10
10pcs in 1 Cart



If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

B12
Steel fence

LengthxHigh	2000mm x 1200mm
out frame tube size	ϕ32x2mm
Vertical vice tube	φ 19x1.0mm -12pcs
Material&Surface	Steel&Hot Ganavazation
Self Weight	14kg/pcs or customized

B12-1



B12-2



B12-3



B12-4 barrier Tray













If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

CROWED BARRICADE
防爆栏

B11
Steel fence









Steel barrier A	
Net weight	35kg
Steel barrier B	
Net weight	40kg

B13
Steel fence

LengthxHigh	3000mm x 2000mm
out frame tube size	ϕ32x1.5mm
Wire size&Hole size	φ 3.0mm&30*150mm
Material&Surface	Steel&Hot Ganavazation
Self Weight	23kg/pcs













If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！





A1
Elevator Tower
升降架

Specification 规格

Load Capacity 承 重	Max Height 最大高度
200kg(440.9lb)	6m(19.7ft)
250kg(551.2lb)	6.5m(21.3ft)



A2
Stand
轻型手摇架(带手摇绞盘)

Load:50kg(110lb)
adjustable high:1.6-4m
(5.2-13.1ft)
with manual winch


承重：50公斤
调节高度：1.6–4米



A3
Stand
轻型手摇架

Load:50kg(110lb)
adjustable high:1.6-3m
(5.2-9.8ft)
without manual winch

承重：50公斤
调节高度：1.6–3米



A4
Stand



A5
Stand





A
B

Load Capacity	80kg
Lifting High	1.85m~2.98m 6ft~10ft
Top bar length	1.05mor 1.58mor 1.84m 3.4ftor 5ft or 6ft



Speaker Stand
音响架





Pipe&Drapes
窗帘架














Telescoping Uprights (2-section tube)		Telescoping Uprights (3-section tube)		Cross Bar (2-section tube)		Iron Baseplate	
A1	5ft~8ft(1.53~2.44m)	A6	5ft~11ft(1.53~3.36m)	B1	6ft~10ft(1.83~3.05m)	C1	500x500x5mm
A2	6ft~10ft(1.83~3.05m)	A7	6ft~14ft(1.83~4.27m)	B2	7ft~12ft(2.14~3.66m)	C2	600x600x5mm
A3	7ft~12ft(2.14~3.66m)	A8	7ft~17ft(2.14~5.18m)	B3	8ft~14ft(2.44~4.27m)	C3	600x600x10mm
A4	8ft~14ft(2.44~4.27m)	A9	8ft~20ft(2.44~6.1m)	B4	9ft~16ft(2.75~4.88m)		
A5	9ft~16ft(2.75~4.88m)	A10	9ft~23ft(2.75~7.01m)				

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

U Frame
灯光挂架





















If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Totem Truss
虎爪
























A10
Truss lighting cloth
桁架灯光布



If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

DJ Stand
DJ台

A7
Reception
前台



A8
Bar Chair
吧凳



A9
Rostrum
演讲台

























If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


Cable Tray
线槽

Cable Board
线　槽











Dolly






CB1-1 cables






All Black



45°corner








cable carpet

CB1-4 cables Wider model





If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


















ALUMINUM SCAFFOLDING
铝合金脚手架

















If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ALUMINUM SCAFFOLDING
铝合金脚手架

- Aluminum scaffolding conforms to European standard HD1004
- It is convenient to carry tools and carry materials up and down, especially the inclined ladder frame, which greatly increases the working space and reduces the construction time;
- Easy to disassemble and assemble, and it is light and durable because it is aluminium alloy material;
- In addition to single-set construction, it can be combined into various styles, suitable for different venues, such as escalators, stairs, construction sites, etc.
- Various design components to meet different application needs;
- Platform can be placed at different heights
- Guardrails and skirting boards ensure safety.

- 铝合金脚手架符合欧洲标准HD1004；
- 方便携带工具及搬运物料上落，尤其斜爬梯框架，大大增加工作空间，减少搭建时间；
- 拆装方便快捷，本身铝合金材质轻身及坚固耐用；
- 除可单套搭建，还可组合成各种款式，适用于不同场地，如扶手电梯，楼梯，工地等；
- 各种配套部件，以满足不同的工程需求；
- 平台板可放置在不同高度位置；
- 设计有护栏及踢脚板，确保安全实用。

SDB-2
Single Width Climb Ladder Scaffolding
单宽直爬梯脚手架

DIMENSION 尺寸			
Single Width 单宽	75x200cm (2.5x6.6ft)	75x250cm (2.5x8.2ft)	75x300cm (2.5x9.8ft)
Height 高度	From 2m to 40m(6.6x131.2ft)		
Platform Load(KG) 平台板承重	272kg(599.7lbs)		
Entire Load(KG) 整体承重	900kg(1984.2lbs)		
Material 材质	Aluminum 6082 铝合金6082		





SDB-4
Foldable Scaffolding
折叠脚手架

SDB–4A 6rungs(H:1.68m/5.5ft)
SDB–4B 7rungs(H:1.96m/6.4ft)
SDB–4C 8rungs(H:2.24m/7.3ft)

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ALUMINUM SCAFFOLDING
铝合金脚手架




SDB-1
Double Width Climb Ladder Scaffolding
双宽直爬梯脚手架

DIMENSION 尺寸			
Double Width 双宽	135x200cm (4.4x6.6ft)	135x250cm (4.4x8.2ft)	135x300cm (4.4x9.8ft)
Height 高度	From 2m to 40m(6.6x131.2ft)		
Platform Load(KG) 平台板承重	272kg(599.7lbs)		
Entire Load(KG) 整体承重	900kg(1984.2lbs)		
Material 材质	Aluminum 6082 铝合金6082		



SDB-3
Double Width Step-Stair Scaffolding
双宽铝合金走梯脚手架



SDB-5
Double Width 75° Hang Step-Stair Scaffolding
双宽铝合金挂梯脚手架

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ALUMINUM SCAFFOLDING PARTS
脚手架配件



Diagonal Bar
斜拉杆
SD1-2m(6.6ft)
SD1-2.5m(8.2ft)
SD1-3m(9.8ft)

Horizontal Bar
横拉杆
SD2-2m(6.6ft)
SD2-2.5m(8.2ft)
SD2-3m(9.8ft)



Caster and Adjustable Leg
脚轮和可调节脚

Platform
平台板
SD6-2m(6.6ft)
SD6-2.5m(8.2ft)
SD6-3m(9.8ft)



Trop Door Platform
开口平台板
SD7-2m(6.6ft)
SD7-2.5m(8.2ft)
SD7-3m(9.8ft)



SD5
75°Hang Step Stair
75° 挂梯



45°Diagonal Step Stair
45°走梯
SD4-3
SD4-4
SD4-5



45°Diagonal Step Stair with board
带板式45°走梯
SD12-3
SD12-4
SD12-5





Toe Board
踢脚板
SD8-0.75/2m SD8-1.35/2m
SD8-0.75/2.5m SD8-1.35/2.5m
SD8-0.75/3m SD8-1.35/3m



Guardrail
护栏
SD9-0.75m(2.5ft)
SD9-1.35m(4.4ft)

Clip SD13




Long Outrigger
外斜撑
SD10-3m(9.8ft)
SD10-5m(16.4ft)





SD11
The Connecting Rod
主副连接杆





Scaffolds Dolly
脚手架推车
















If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ALUMINUM SCAFFOLDING PARTS
脚手架配件




If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！





























If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！



size:
L1.35mx W2m H:2.91m

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！


ALUMINUM SCAFFOLDING
脚手架


If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

A frame Tent
A字顶篷房

3-5m跨度
3-5m Width









6-9m跨度
6-9m Width









10m跨度
10m Width









10m跨度
10m Width









12m跨度
12m Width









15m跨度
15m Width







相关案例 Related cases







名 称 Name	边 高/m Side Height/m	顶 高/m Top Height/m	型材尺寸/mm Frame Size/mm	长度/m Length/m
3m跨度	2.5m	3.05m	70*36*3	可定制
6m跨度	2.6m	3.69m	84*48*3	可定制
8m跨度	2.6m	4.06m	84*48*3	可定制
10m跨度	2.6m	4.32m	84*48*3	可定制

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

相关案例 Related cases







名 称 Name	边 高/m Side Height/m	顶 高/m Top Height/m	型材尺寸/mm Frame Size/mm	长度/m Length/m
10m跨度	3m	4.32m	122*68*3	可定制
12m跨度	3m	4.85m	122*68*3	可定制
15m跨度	3m	5.44m	166*88*3	可定制
18m跨度	3m	5.96m	166*88*3	可定制


If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

A frame Tent
A字顶篷房

20m跨度
20m Width









25m跨度
25m Width










30m跨度
30m Width









40m跨度
40m Width









50m跨度
50m Width









60m跨度
60m Width







相关案例 Related cases







名　称 Name	边　高/m Side Height/m	顶　高/m Top Height/m	型材尺寸/mm Frame Size/mm	长度/m Length/m
20m跨度	3m	6.25m	112*203*4	可定制
25m跨度	4m	8.06m	112*203*4	可定制
30m跨度	4m	8.87m	120*254*4	可定制
35m跨度	4m	9.76m	120*300*4	可定制

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

相关案例 Related cases








名　称 Name	边　高/m Side Height/m	顶　高/m Top Height/m	型材尺寸/mm Frame Size/mm	长度/m Length/m
40m跨度	5m	11.50m	120*300*5	可定制
45m跨度	5m	12.48m	120*350*5	可定制
50m跨度	5m	13.12m	120*350*5	可定制
60m跨度	5m	14.75m	120*400*5	可定制

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Pagoda Tent
尖顶篷房


3x3/4x4m尖顶帐篷
3x3 / 4x4m Pagoda Tent






5x5m尖顶帐篷
5x5m Pagoda Tent






6x6m尖顶帐篷
6x6m Pagoda Tent






8x8m尖顶帐篷
8x8m Pagoda Tent






10x10m尖顶帐篷
10x10m Pagoda Tent





3x5m尖顶帐篷
3x5m Pagoda Tent





相关案例 Related cases







名 称 Name	边 高/m Side Height/m	顶 高/m Top Height/m	型材尺寸/mm Frame Size/mm	颜色 Color
3*3m	2.5m	4.30m	63*63*2	可定制
4*4m	2.5m	4.90m	63*63*2	可定制
5*5m	2.5m	5.65m	65*65*2.5	可定制
6*6m	2.5m	5.95m	65*65*2.5	可定制

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

相关案例 Related cases








名 称 Name	边 高/m Side Height/m	顶 高/m Top Height/m	型材尺寸/mm Frame Size/mm	颜色 Color
7*7m	2.5m	5.86m	48*84*3	可定制
8*8m	2.5m	6.10m	122*68*3	可定制
10*10m	2.5m	6.36m	122*68*3	可定制
3*5m	2.5m	4.90m	63*63*2	可定制


If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Tent Floor
篷房地板


Steel Tent Floor















Aluminium Tent Floor





If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Tent Accessories
篷房配件



玻璃门 Glass door



玻璃墙 Glass Wall



ABS硬体墙mABS Solid Wall



电动卷帘门 Automatic voller shutter



彩钢岩棉板 Sandwich Wall



玻璃窗 Glass Window



卡式地板 Cassette Floor



胶碗地板 Wooden Floor



地毯 Carpet



边幔 Side Linings



顶幔 Roof Linings



照明灯 Led Light



配重盘 Weight Bearing Plate




配重框 Weight Bearing Box



钢钎 Steel Anchrs

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Tent Raw Material
篷房原材料



精选凤铝6061-T6铝合金型材

Selected Fenglu 6061-T6 aluminum alloy profiles



工业型材标准厚度

Standard thickness of industrial profiles




严格遵循国家生产标准

Follow national production standards strictly



优质亚克力涂层PVC篷布

High-quality acrylic coated PVC tarpaulin



防火阻燃等级德标B1/M2

Fire retardant grade, DIN4102/B1/M2



具有高强度抗撕裂、抗拉伸能力

High strength tear resistance and stretch resistance ability.



Q235高强度碳钢底座

Q235 high-strength carbon steel base plate



连接配件可承重500kg

Connection accessories can weigh 500kg,



防台风地基部件设计

Anti-typhoon foundation component design

为保证篷房的安全稳固性和用于超长使用寿命恒诺的篷房都采用最优材质，T6061 / T6铝合金型材、硬度达到15HW材质大小会根据类型和使用需求计算出安全规格。表面采用酸碱氧化处理、表面膜厚≥10μm-15μm，高规格克数PVC涂层布为850g/㎡、厚度0.65mm ……等高规格材质

At present, the company has 10 invention patents, and 6 invention patent applications need to obtain the authorization certificate. It has won the Guangzhou Science and technology progress award, China Construction Industry Patent Award, and Guangzhou Municipal Patent AwardIt has the following Honors: demonstration enterprise, golden key Award for green contribution, excellent brand quality enterprise in national construction industry, Guangzhou municipal enterprise technology center and Guangzhou Municipal High Tech Research Institute Research and development center.

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Tent Fixed Way
篷房固定方式





1. Expansion Bolts

Cement Floor





2. Screw ϕ25*800mm
Screw ϕ25*500mm


Grass/Mud Land





3. Baseplate+Balast


Temporary Event





4. Layer stage feet

Match Mobile Layer Stage





5. Fixed Connector


Soft/Sand Land Floor

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

ArcumTent
弧形篷房

5m跨度
5m Width









10m跨度
10m Width









15m跨度
15m Width









20m跨度
20m Width









25m跨度
25m Width









30m跨度
30m Width







相关案例 Related cases







名 称 Name	边 高/m Side Height/m	顶 高/m Top Height/m	型材尺寸/mm Frame Size/mm	长度/m Length/m
5m跨度	2.5m	3.28m	48*84*3	可定制
10m跨度	2.5m	4.12m	122*68*3	可定制
12m跨度	3m	4.87m	122*68*3	可定制
15m跨度	3m	5.18m	166*88*3	可定制

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

相关案例 Related cases





名 称 Name	边 高/m Side Height/m	顶 高/m Top Height/m	型材尺寸/mm Frame Size/mm	长度/m Length/m
20m跨度	3m	5.84m	112*203*4	可定制
25m跨度	4m	7.71m	112*203*4	可定制
30m跨度	4m	8.46m	120*254*4	可定制
50m跨度	5m	14.75m	120*400*5	可定制

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Multi SideTent
多边形篷房

8m跨度
8m Wiath


10m跨度
10m Wiath

15m跨度
15m Wiath

20m跨度
20m Wiath

25m跨度
25m Wiath

30m跨度
30m Wiath



相关案例 Related cases



名 称 Name	边 高/m Side Height/m	顶 高/m Top Height/m	型材尺寸/mm Frame Size/mm	颜色 Color
φ8m	2.5m	3.96m	48*84*3	可定制
φ10m	2.5m	4.32m	122*68*3	可定制
φ12m	3m	4.95m	122*68*3	可定制
φ15m	3m	5.44m	166*88*3	可定制

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

相关案例 Related cases




名 称 Name	边 高/m Side Height/m	顶 高/m Top Height/m	型材尺寸/mm Frame Size/mm	颜色 Color
φ20m	3.5m	6.75m	112*203*4	可定制
φ25m	4m	8.06m	112*203*4	可定制
φ30m	4m	8.87m	120*254*4	可定制
φ40m	4m	9.68m	120*300*4	可定制


If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Mixed Tent
组合篷房

4m跨度
4m Width








6m跨度
6m Width









8m跨度
8m Width









10m跨度
10m Width









15m跨度
15m Width









20m跨度
20m Width







相关案例 Related cases







名 称 Name	边 高/m Side Height/m	顶 高/m Top Height/m	型材尺寸/mm Frame Size/mm	长度/m Length/m
4m跨度	2.5m	4.03m	70*36*3	可定制
6m跨度	2.5m	4.59m	84*48*3	可定制
8m跨度	2.5m	5.26m	84*48*3	可定制
10m跨度	2.5m	5.82m	122*68*3	可定制

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

相关案例 Related cases








名 称 Name	边 高/m Side Height/m	顶 高/m Top Height/m	型材尺寸/mm Frame Size/mm	长度/m Length/m
15m跨度	3m	7.44m	166*88*3	可定制
20m跨度	3m	8.75m	112*203*4	可定制
25m跨度	4m	9.83m	112*203*4	可定制
30m跨度	4m	10.76m	120*254*4	可定制

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Mixed Tent
组合篷房

双边组合
Two Polygon Walls








单边组合
One Polygon Wall









顶+边组合
Two Polygon Walls & High Peaks







相关案例 Related cases







名 称 Name	边 高/m Side Height/m	顶 高/m Top Height/m	型材尺寸/mm Frame Size/mm	长度/m Length/m
15m跨度	3m	4.53m	166*88*3	可定制
20m跨度	4m	5.59m	112*203*4	可定制
25m跨度	4m	6.26m	112*203*4	可定制
30m跨度	4m	6.82m	120*254*4	可定制

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Double DeckerTent
双层篷房

20m跨度
20m Width







25m跨度
25m Width







30m跨度
30m Width







相关案例 Related cases







名 称 Name	边 高/m Side Height/m	顶 高/m Top Height/m	型材尺寸/mm Frame Size/mm	长度/m Length/m
15m跨度	7m	11.44m	166*88*3	可定制
20m跨度	7m	12.75m	112*203*4	可定制
25m跨度	8m	13.83m	112*203*4	可定制
30m跨度	8m	14.76m	120*254*4	可定制

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

DomeTent
球形篷房

3m直径
3m dome tent

4m直径
4m dome tent


5m直径
5m dome tent

10m直径
10m dome tent

15m直径
15m dome tent


20m直径
20m dome tent















































相关案例 Related cases







名 称 Name	面 积/㎡ Area/㎡	顶 高/m Top Height/m	型 材 尺 寸/mm Frame Size/mm	透明区域 Clear bay window
φ3m	7.07	2.1m	20*1.5	可定做
φ4m	12.56	2.4m	20*1.5	可定做
φ5m	19.63	3.1m	26*1.5	可定做
φ6m	28.26	3.5m	26*1.5	可定做

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

相关案例 Related cases







名 称 Name	面 积/㎡ Area/㎡	顶 高/m Top Height/m	型 材 尺 寸/mm Frame Size/mm	透明区域 Clear bay window
φ8m	50.24	4.5m	32*1.5	可定做
φ10m	78.5	5.5m	32*1.5	可定做
φ15m	177	7.5m	42*2	可定做
φ20m	314	10m	42*2	可定做

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！



门框
Door Frame



单开玻璃门
Single Wing Glass Door




电子锁玻璃门
Electronic Lock Glass Door



保温内衬
Insulation



皮质软包
PU Leather Insulation




弹力布内衬
Projection Fabric



室内隔板
Partition



电动遮阳帘
Auto Skylight Curtain



太阳能排气扇
Solar Exhaust Fan



单轨道窗帘
Single Rail Curtain



双轨道双层窗帘
Double Rails Curtain



静音排气扇
Silent Exhaust Fan



一体式卫浴
All-in-one Bathroom



马桶
Toilet



洗漱台
Bathroom Cabinet



室内地板
Indoor Floor

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

DomeTent
球形篷房



壁 炉
Stove



烟 囱
Chimney



烟囱连接件
Chimney Fixator



门头挡雨板
Door Canopy



烟囱帽
Chimney Cap



电器
Home Appliances




地台
Platform



PVC发泡板
Solid PVC Panel



家具
Furniture



猫耳透气窗
Top Ventilation



三角透气纱窗
Triangle Ventilation



方形透气纱窗
Rectangle Ventilation



三角玻璃窗
Triangle Glass Window



圆形游艇窗
Round Glass Window



包装木箱
Plywood Box

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Interpretation Room
翻译房





Model	Interpretation Room
Specification	Length 1600mmx Wide 1600mmxHeight 2000mm
Packing size	Length 2050mmx Wide 600mmxHeight 1050mm
Packing weight	145kg+75kg=220kg
Material	Aluminium Frame+9mm plywood/Black antislip surface
International Standard	Meet ISO-4030:2016

Truss feet cover







If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

PE case, ABS case
塑料箱



No.1 case



No.2 case

Item No.	Name	Interior Dimension (W x D x H)	Exterior Dimension (W x D x H)w/wheels	Weight (kg)
No.1	1915	610*340*390mm	650*390*540mm,3inch	
	260	610*340*500mm	650*390*650mm,3inch	
	mini	610*340*560mm	650*390*710mm,3inch	
No.2	230	720*400*540mm	760*450*700mm,3inch	
	350	720*400*670mm	760*450*850mm,3inch	
	440	720*400*720mm	760*450*900mm,3inch	
	250	660*485*250mm	700*520*400mm,3inch	
	420	660*485*420mm	700*520*570mm,3inch	
	510	660*485*510mm	700*520*650mm,3inch	
	560	660*485*560mm	700*520*710mm,4inch	
	630	660*485*630mm	700*520*780mm,4inch	
	675	660*485*670mm	700*520*850mm,4inch	
	730	660*485*730mm	700*520*920mm,4inch	
	770	660*485*770mm	700*520*950mm,4inch	
	7	770*520*530mm	820*580*750mm,4inch	
	330	1050*520*330mm	1130*580*550mm,4inch	
	420	1050*570*420mm	1130*580*650mm,4inch	
	520A	1050*520*530mm	1130*580*750mm,4inch	
	520B	1050*570*530mm	1130*580*750mm,4inch	

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！





PE case LED screen 10 in 1/5in1



260C U case



390C U case

Item No.	Name	Interior Dimension (W x D x H)	Exterior Dimension (W x D x H)	Weight (kg)
260C U case Depth:7.8inch	2U	500*260*92mm	570*390*175mm	4.5kg
	3U	500*260*136.5mm	570*390*219.5mm	5.7kg
	4U	500*260*181mm	570*390*264mm	7kg
	6U	500*260*270mm	570*390*353mm	9.5kg
390C U case Depth:12inch	2U	500*390*92mm	570*520*175mm	5.7kg
	3U	500*390*136.5mm	570*520*219.5mm	7.6kg
	4U	500*390*181mm	570*520*264mm	9.5kg
	6U	500*390*270mm	570*520*353mm	13.3kg
525 Rack Depth:16inch	8U	500*528*356mm	550*658*410mm	23kg
	12U	500*528*534mm	550*658*590mm	26.4kg
	14U	500*528*623mm	550*658*680mm	28kg
	16U	500*528*712mm	550*658*768mm	32kg
Wire storage case	520L	1050*520*520mm	1130*570*610mm	36.8kg
	LED screen 500*1000mm 5 in 1 / 500*500mm 10 in 1			
	520S	820*520*520mm	900*570*610mm	31kg
	Led screen 500*500mm 8 in1/moving head light 2 in 1			
	420L	1050*520*420mm	1130*570*610mm	35.8kg
	Par light 8 in 1/ cob light 8 in 1/ 4 eyes lite 5 in 1/ Strobe 6in 1/ Wash 8in 1			

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

PE case, ABS case
塑料箱

ABS case



ABS



ABS case



PE case 525 Rack



PE case 520S



PE case 420L



16U Dismantle case



Mixer case



Stand case



Stand case



TV case



Speaker case



If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

Drawer case



Drawer case



Drawer case













DJ case









If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

FLIGHT CASE
航空箱



E2

MIC Case
麦克风箱



E3

Cable Case
线箱



E4

Audio Case
音响箱



E6

Cable Case
线箱



E7

Search Lighting Case
追光灯箱



R16U

16U Rack
16U机箱



E15

16U Rack With Mixer
16U调音箱组合机箱



A12U

12U Antishock Rack
12U防震机箱



A16U

16U Antishock Rack
16U防震机箱

Standard Rack Size(Except for wheels height) 标准机箱尺寸（不含脚轮高度）				
Item NO 编号	Description of Goods 名称	External Dimension 外尺寸		
		Width 宽	Depth 深	Height 高
R2U	2U rack 2U机箱	530mm	680mm	120mm
R4U	4U rack 4U机箱	530mm	680mm	210mm
R6U	6U rack 6U机箱	530mm	680mm	300mm
R8U	8U rack 8U机箱	530mm	680mm	390mm
R10U	10U rack 10U机箱	530mm	680mm	480mm
R12U	12U rack 12U机箱	530mm	680mm	570mm
R14U	14U rack 14U机箱	530mm	680mm	660mm
R16U	16U rack 16U机箱	530mm	680mm	750mm
R18U	18U rack 18U机箱	530mm	680mm	840mm
R20U	20U rack 20U机箱	530mm	680mm	930mm
R22U	22U rack 22U机箱	530mm	680mm	1020mm

Antishock Rack Size(Except for Wheels Height) 防震机箱尺寸（不含脚轮高度）				
Item NO 编号	Description of Goods 名称	External Dimension 外尺寸		
		Width 宽	Depth 深	Height 高
R2U	2U antishock rack 2U防震机箱	610mm	680mm	200mm
R4U	4U antishock rack 4U防震机箱	610mm	680mm	290mm
R6U	6U antishock rack 6U防震机箱	610mm	680mm	380mm
R8U	8U antishock rack 8U防震机箱	610mm	680mm	470mm
R10U	10U antishock rack 10U防震机箱	610mm	680mm	560mm
R12U	12U antishock rack 12U防震机箱	610mm	680mm	650mm
R14U	14U antishock rack 14U防震机箱	610mm	680mm	740mm
R16U	16U antishock rack 16U防震机箱	610mm	680mm	830mm
R18U	18U antishock rack 18U防震机箱	610mm	680mm	920mm
R20U	20U antishock rack 20U防震机箱	610mm	680mm	1010mm
R22U	22U antishock rack 22U防震机箱	610mm	680mm	1100mm

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

 S1 6Holes Corner 6孔直包角	 S2 8Holes Corner 8孔直包角	 S3 Combined Ball Corner 连体球包	 S4 Ball Corner 原包角
 S5 Recessed Lid Stay 背撑	 S6 Spring Handle 无壳提手	 S7 Rubber Handle 胶提手	 S8 Spring Handle 提手
 S9 3"Wheels 3寸脚轮	 S10 4"Wheels 4寸脚轮	 S11 Rack Rail With Square Holes U形铁	 S12 Case Lid Stay 折叠支架
 S13 Wheel Socket 轮窝	 S14 Hinge 合页	 S15 Hook Over Hinge 勾式合页	 S16 Laminated Plywood 防火饰面板
 S17 Small Lock 小锁	 S18 Medium Lock 中锁	 S19 Large Lock 大锁	 S20 Ventilated Dish 散热窗
 S21 Pearl Foam 珍珠棉	 S22 Hard Foam 胶棉	 S23 Wave Foam 波浪棉	 S24 Rubber Feet 胶角
 S25 Aluminium Hybrid 凹凸铝	 S26 Aluminium Angle 直角铝	 S27 Duty Aluminium Angle 双边角铝	 S28 Extendable Stay 伸缩支架

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！

FLIGHT CASE
航空箱

3''/4'' caster 	3''/4''caster 	4'' Auto caster 	5'' Caster w/brakes 
4''caster w/side brakes 	Hemming wheels 	Built-in wheels 	S29 
S30 	S31 	S32 	S33 
	S34 	S35 	S36
Plywood colour 			

Control panel
A-3 phase switch
B-6 channels switch with master switch
C-12 channels switch
D-12 channels switch with master switch
E-18 channelg single phase switch
F-voltmeter and ampere meter
G-400/200A master switch

Input/output panel
H 32A 3 phase output
I 6 channels 16A waterproof plug
J 6 channels 40A Bakelite plug
K 6channels 3*10A bakelite plug
L 19 pin 18channels output
M Civilian switch
N Rhino socket input

If you need special size, please consult to our professional sales!
如果你需要特殊尺寸，请向我们的专业销售咨询！